

DT66

Enterprise Mobile Computer

- 6.5-inch ultra-high-definition (720*1600) thin-bezel display, offers more information at one page and less scrolling.
- Supports front screen and back NFC reading to meet diverse usage needs.
- The 5000mAh smart battery with a built-in battery management system enhancing overall battery life. With the hot swap feature, it achieves uninterrupted 24-hour operation.
- Powered by the latest Qualcomm 2.4GHz high-performance processor, it delivers exceptional processing speed, further empowering faster decoding of 1D/2D/DPM barcode.
- Wi-Fi 6E and 5G delivers the super fast and reliable wireless connections.
- Optional iToF camera for three-dimensional volume measurement of parcel.



Optional Accessories:



2.4GHz Processor



Android 13 O.S.



IP67 Sealing



6.5 in Display



5000mAh Smart Battery



Scanning Pistol Grip



4 Batteries Charge Cradle



Charging Cradle

DT66 Enterprise Mobile Computer

Specifications

UROVO

▪ Processor

Octa-core 2.4GHz

▪ O.S.

Android 13,
upgradable to Android 18
Support GMS/AER

▪ Memory

RAM: 4GB ROM: 64GB
RAM: 8GB ROM: 128GB (optional)
Micro-SD card, Up to 256 GB

▪ Display

6.5 inch display,
720*1600

▪ Touch Screen

Ultra sensitive capacitive touch panel,
support multi-touch, works with gloves
and wet fingers

▪ Dimensions

Dimensions: 175.8 mm L x 76.5 mm
W x 14.5 mm D
Weight: About 283g

▪ Scanning

Professional scan engine
Support international standard
1D/2D barcode;
Support barcode displayed on
screen

▪ Camera

Front: 5MP FF;
Rear: 13MP PDAF
Optional iToF camera

▪ Sensors

Light + Accelerator+ Proximity +
Geomagnetic +
Gyro+Pressure(optional)

▪ Audio

Dual-Microphone with noise
cancellation, 1.5W Speaker for loud
noise , receiver supports echo
cancellation

▪ Battery

Capacity: 3.85V 5000mAh
Support hot swap

▪ Buttons

PWR button
Vol+/- button
Scan button*2
Custom button

▪ Slots

Nano- SIM x 2, Micro-SD
Slot x 1,
(Reserved support eSIM)

▪Communication

5G/4G/3G/2G
Bluetooth: BT5.2 + BR/EDR + BLE
Wi-Fi: Wi-Fi 6E, 2.4G/5G
Support 2x2 MU-MIMO,
IEEE 802.11a/b/g/n/ac/d/e/h/i/k/r/v/w/ax
Roaming: 802.11r (Over the
Air);OKC';PMKID caching

▪Positioning

GPS
BEIDOU
GLONASS
Galileo

▪ Protection

IP67
1.5m drop resistance

▪ Environmental

Operating Temp.: -20 ~ +60°C
Storage Temp.: -40 ~ +70°C
Humidity: 5%RH ~ 95%RH(No condensation)
ESD: +/-15kv Air; +/-8kv contact